

## DELTA®-CLEAN ETCHANT 10

Article number: 08405710

The DELTA®-CLEAN ETCHANT 10 is a mix of tensides with a broad application field. It is suitable for very sensitive metal surfaces that usually cause problems in a pre-treatment. In a specific fluid you can remove cutting oils, drawing and brazing agents as well as scale. The DELTA®-CLEAN ETCHANT 10 is an inhibited product that nearly forbids the attack of the base material. This leads to a significant higher service life of the bath. This is true for both die casting and hardened and tempered parts. No pickling deposit is to be built. The involved tensides are bio-degradable.

## CATEGORY

electroplating



pretreatment

## REQUIREMENTS

### Special features

- water-based

### Surface / Substrate

- steel

### Application technology



dipping (drum)

dipping (drain)

### Legal conditions













- meets the EU End-of-Life Vehicle Directive 2000/53/EC
- meets the RoHS 2 guidelines (also known as EU Directive on the Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment 2002/95/EC)
- meets the REACH requirements

### Contact Person

- Christian Lenzmann

## SELECTION OF SUITABLE PARTS

### Advised parts

				
Washers	Hose clamps	Panels	Metrical threaded bolts >M16	Metrical threaded bolts M2-M16
				
Non metrical threaded parts	Clips	Stamped parts	Nuts	Pipes and tubes
				
Rivets	Springs			